



www.santos.fr



Citrus Juicer # 52

For all citrus fruits :
Limes, lemons, oranges,
grapefruits.

High output model.

52C Chromed



Delivered with 3 removable
squeezers (cones).

Internationally patented models



Citrus juicer

Powerful / Efficient / Durable

The real commercial juicer, **built to last**, with a heavy duty and quiet asynchronous motor, for use everywhere you need a fresh squeezed citrus juice : Juice Bars, Health Food Stores, Hotels, Bars, Restaurants, Cafeterias, Ice Cream shops, Institutions, Hospitals and even... at Home.

High output : just cut your citrus half and press. You will extract easily from 20 to 40 litres per hour (5 to 10 gallons).



52C Chromed



52 Yellow



52 Grey

Easy to use - Easy to clean - Completely safe

The unique juicer that you can clean **quickly and easily** : just wash the main different parts of the top. All are easily removed from the base in a simple movement. (NSF approved)



Anti splash dome.

Cones.

Stainless steel grid.

Stainless steel bowl.


Rubber bowl sustainer.
Vibration absorbing.




Technical specifications

Motor :	
Single phase :	100-120V - 50/60 Hz - 260 W 220-240V - 50/60 Hz - 230 W
Speed :	1500 RPM (50 Hz) 1800 RPM (60 Hz)
Weight :	Net 10 Kg (22 lbs)
	Packed 11 Kg (24 lbs)

Appliance :



Shipping box :



Safety - Standards - Hygiene

This Juicer has been designed to comply with the most severe international safety and hygiene regulations in conformity with the standards, especially :

- ◆ Machinery directive 98/37/EC
- ◆ Electromagnetic compatibility 89/336/EEC
- ◆ Electrical equipment designed for use within certain voltage limits "low voltage" 73/23/EEC
- ◆ RoHS directive 2002/95/EC

Electrical safety

- On/Off interlock switch in waterproof
- All mechanical parts are ground (earth) connected
- All equipment is 100% tested at the end of assembly (special electrical testing bay)

Thermal safety

Motor protected by internal thermal detector.

- ◆ Harmonized European standards
EN 12100-1 and 2:2004 - EN 60204-1:2006 - EN 60335-1:2002
- ◆ CE European standards
- ◆ GS (Germany) controlled by LNE laboratory
- ◆ NSF (USA)
- ◆ UL (USA and Canada)

Acoustic safety

The asynchronous motor with direct driving is particularly silent.

Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

Citrus juicer # 52

Fruit juicer n°52

Date : depuis (from) 10/2003

