

Santosafe®

CE **SANTOS**®

MIXER N°37 - 4L/2L

NEW

SILENT

POWERFUL

COMPLETELY SAFE

EASY TO USE

PROFESSIONAL MODEL

- MOTOR 1 HP : 750 W.
- COMPLETELY SAFE :
COVER AND BOWL LOCKED
WHEN OPERATING.
- INTERCHANGEABLE BOWLS :
4 LITERS OR 2 LITERS (1 GALLON OR 1/2 GALLON)
- VARIABLE SPEED : 0 TO 15 000 RPM.



4 LITERS / 1 GALLON
STAINLESS



4 LITERS / 1 GALLON
POLYCARBONATE



2 LITERS / 1/2 GALLON
STAINLESS



2 LITERS / 1/2 GALLON
POLYCARBONATE

Internationally patented
locking system and design





MIXER N°37

- A NEW CONCEPT FOR BLENDING, MIXING, LIQUEFYING, EMULSIFYING, GRINDING... ALL TYPES OF PREPARATIONS OF FOOD AND DRINK FOR KITCHEN AND BAR.
- QUICKLY CRUSHES ICE CUBES.
- IDEAL FOR HOSPITALS, INSTITUTIONS, COCKTAIL BARS, ICE-CREAM PARLORS, RESTAURANTS, HEALTH FOOD SHOPS....

A complete range of mixers

SANTOSAFE MIXER - COMPLETE N°37

SANTOSAFE 4 LITERS - STAINLESS STEEL BOWL	PAINTED BASE CHROMED BASE	N°37 - 4L - I N°37C - 4L - I
SANTOSAFE 4 LITERS - POLYCARBONATE BOWL	PAINTED BASE CHROMED BASE	N°37 - 4L - P N°37C - 4L - P
SANTOSAFE 2 LITERS - STAINLESS STEEL BOWL	PAINTED BASE CHROMED BASE	N°37 - 2L - I N°37C - 2L - I
SANTOSAFE 2 LITERS - POLYCARBONATE BOWL	PAINTED BASE CHROMED BASE	N°37 - 2L - P N°37C - 2L - P


SANTOSAFE MIXER - BASE ONLY - COMPLETE MOTOR BLOCK

SANTOSAFE - MOTOR BLOCK ONLY	PAINTED BASE CHROMED BASE	N°37 N°37C
------------------------------	------------------------------	---------------

SANTOSAFE MIXER - COMPLETE BOWL (BOWL, COVER, BLADES, COUPLINGS)

SANTOSAFE - COMPLETE STAINLESS STEEL BOWL	4 LITERS 2 LITERS	N°37100 I N°37130 I
SANTOSAFE - COMPLETE POLYCARBONATE BOWL	4 LITERS 2 LITERS	N°37120 P N°37150 P

A complete range of speeds for all kinds of applications




TECHNICALS SPECIFICATIONS

Motor : Universal 1 HP 750 W.
 Speed : Variable speed from 0 to 15.000 RPM.
 Power : 220-240 V - 50/60 Hz.
 100-120 V - 50/60 Hz.

Weight : Net : 12,4 kg (27 lbs).
 Shipping : 14 kg (31 lbs).
 Dimensions : Height : 615 mm (24").
 Width : 215 mm (8,5").
 Depth : 230 mm (9").

Hygiene : All parts in contact with food can be removed without tool.

Safety : This machine complies with Electromagnetic Compatibility standards. CE Labeled.



Completely safe locking system (patented) for bowl and cover when operating. It is not necessary to hold the top by hand.

Filler cup for complementary additions of products.

Stainless steel locking arm.

Stainless steel cover.

All parts in contact with food can be removed without tool for cleaning.

Waterproof rubber seal, removable for cleaning.

Interchangeable bowls 4 L (1 gallon) or 2 L (1/2 gallon) in stainless steel or unbreakable transparent polycarbonate, adaptable on the same motor base.

Variable speed from 0 to 15.000 RPM (electronic control).

Aluminium ergonomic handle - bowl can be oriented in any position.

Locking/unlocking lever.

Two stainless steel ball bearings.


On/Off rotary button and speed variation
Precise adjustment for all types of mixing.

Silent and durable coupling system.

Heavy duty motor, especially silent :
- Power 1 HP, 750W.
- Safety thermal circuit breaker and no-volt relay.

Painted or chromed aluminium base.

4 stable rubber feet.



NEW SILENT AND DURABLE COUPLING SYSTEM KIT FOR INTENSIVE USE AND LONG LIFE

Shape and position of blades have been designed to be efficient at any speed.

Stainless steel blades.
Removable rubber seal for cleaning.



New silent and durable coupling system.

Special kit for adaptation on previous mixers.

Upper plastic coupling.

Lower rubber coupling.



Warning : when operating, a Mixer must **always** be filled with a minimum of **liquid** in the bowl.